

Application/Control	No.
10/560 757	

Reexamination

Applicant(s)/Patent under

ALLEN ET AL.

Art Unit 1621

Examiner SHAILENDRA -. KUMAR

				SSUE	CL	<u>.AS</u>	<u>SIF</u>	ICATI	ON						
ORIGINAL						INTERNATIONAL CLASSIFICATION									
CLASS SUBCLASS							CL	AIMED	NON-CLAIMED						
	564		186		С	07	С	233	/65		/				
CROSS REFERENCES					A	61	к	31	/165		,				
CLASS	SUBCLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)						51	7103		/				
- 564	184								1		1				
514	617				•			1			,				
									1		7				
									1						
									1		/				

Shailendra Kinny Shailendra Kumar 5/(Date) Assistant Examiner) (Date) ate Mose 5)
pal Instruments Examiner) (Primary Examiner)

Total Claims Allowed: 15

O.G. Print Claim(s) O.G. Print Fig.

											☐ CPA			☐ T.D.			☐ R.1.47		
Final	Original		Final	Original		Final	Original		Final	Original		Final	Original		Final	Original		Final	Original
	1			31			61	}		91			121			151			181
	2			32			62] ;		92			122			152			182
	3			33			63]		93			123			153			183
	4			34			64			94			124			154			184
	5			35			65	}		95			125			155			185
<u> </u>	6			36			66			96			126			156			186
	7			37			67	j		97			127			157			187
<u> </u>	8			38			68			98			128			158			188
	9			39			69]		99			129			159			189
	10			40			70			100			130			160			190
	11			41			71]		101			131			161			191
	12			42			72			102			132			162			192
	13			43	· ·		73			103			133			163			193
	14			44			74]		104			134			164			194
	15			45			75	1		105			135			165			195
1	16			46			76	1		106			136			166			196
2	17			47			77	}		107			137			167			197
3	18			48			78]		108			138			168			198
4	19			49			79]		109			139			169			199
5	20			50			80			110			140			170			200
6	21			51			81	1		111			141			171			201
7	22			52			82]		112	:		142			172	ļ		202
8	23			_53			83]		113	!		143			173			203
9	24			54			84]		114			144			174			204
10	25			55			85]		115			145			175			205
11	26			56			86			116			146			176			206
12	27			57			87]		117			147			177			207
13	28			58			88			118			148			178			208
14	29			59			89			119			149			179			209
15	30			60		<u> </u>	90	<u> </u>		120			150			180			210